

SHREDCAT 8240

máx.
13
hojas

Destructora de documentos de escritorio potente y silenciosa.

← 22 cm →

Nivel P-2 4 mm corte en tiras

Capacidad*: 13 | 11 hojas

Nivel P-4 4 x 40 mm corte en partículas

Capacidad*: 8 | 6 hojas




* papel A4, 70 g/m² | 80 g/m²

Datos técnicos

Volumen de recogida	18 l (contenedor)
Voltaje	230 V / 50 Hz**

** otros voltajes disponibles



Potencia del motor	180 vatios 140 vatios (8240 CC)
---------------------------	------------------------------------

Dimensiones 400 x 330 x 195 mm
(Alt x An x Prof)

Peso 5 kg

No. certificado Z1A 12 05 80375 010 (8240)
Z1A 12 05 80375 011 (8240 CC)

Características

Interruptor deslizante multifunción con posición de AutoEcoMode / desconexión (OFF) / retroceso (REV). Indicador de funcionamiento LED. Inicio y paro automático al detectar papel. Automatic Zero Energy Consumption en EcoMode. Cabezal de tiras de 4 mm o partículas 4 x 40 mm. Silencioso y potente motor monofásico. Contenedor en un elegante diseño con ventanilla para ver el nivel de llenado. Prácticos asideros integrados en el diseño para levantar el cabezal de la máquina del contenedor. Cabezales de destrucción de acero. Bloqueo automático al levantar el cabezal de la máquina del contenedor.

SHREDCAT by IDEAL

VERBOK
THE MOVING INFORMATION
PARTNER

SHREDCAT 8240

Ventajas del producto



INTERRUPTOR MULTIFUNCIÓN

Fácil de utilizar : interruptor deslizante multifunción con posición de retroceso (REV) / desconexión (OFF) / AutoEcoMode (AUTO).



CÓMODO CONTENEDOR

Contenedor con ventanilla para ver el nivel de llenado y sistema de bloqueo automático al levantar el cabezal de la máquina del contenedor.





Product Service

CERTIFICATE

No. Z1A 14 03 80375 010

Holder of Certificate: Krug & Priester GmbH & Co. KGSimon-Schweitzer-Str. 34
72336 BALINGEN
GERMANY**Factory(ies):** 66696**Certification Mark:****Product:** Paper Shredder**Model(s):** SHREDCAT by IDEAL 8240, DINO by EBA 22S

Parameters:	Rated Input :	220-240VAC, 50Hz, 0.8A
	Construction :	Movable
	Protection Class :	II
	Degree of Protection :	IP20
	Operation Mode :	Intermittent operation 5 min on/50 min off

Tested according to: EN 60950-1/A12:2011
ZEK 01.4-08

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 64220120035501C**Valid until:** 2017-03-19**Date,** 2014-03-21

(Richard Zhu)


Page 1 of 1



Product Service

CERTIFICATE

No. Z1A 14 03 80375 011

Holder of Certificate: Krug & Priester GmbH & Co. KGSimon-Schweitzer-Str. 34
72336 BALINGEN
GERMANY**Factory(ies):** 66696**Certification Mark:****Product:** Paper Shredder**Model(s):** SHREDCAT by IDEAL 8240 CC, DINO by EBA 22C**Parameters:**
Rated Input : 220-240VAC, 50Hz, 0.6A
Construction : Movable
Protection Class : II
Degree of Protection : IP20
Operation Mode : Intermittent operation 5 min on/50 min off**Tested according to:** EN 60950-1/A12:2011
ZEK 01.4-08

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 64220120035401C**Valid until:** 2017-03-19**Date,** 2014-03-21
(Richard Zhu)

Page 1 of 1